

# MISCELLANEOUS PAPERS

\*\*\*\*\*

Centre for Entomological Studies Ankara

\*\*\*\*\*

No 126

20 02 2007

ISSN 1015-8235

## Synonymical and distributional List of the species of Bayburt Province (North East Turkey) (Lepidoptera)<sup>†</sup>

Ahmet Ömer Koçak    Muhabbet Kemal

**Abstract:** Koçak,A.Ö. & M.Kemal, Synonymical and distributional List of the species of Bayburt Province (North East Turkey) (Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 126: 1-8.

This paper deals with the Lepidoptera species hitherto recorded in the Bayburt Province in the North East Turkey. Totally 263 species are listed alphabetically under the relevant families. For each species, the scientific name, author, date of publication, synonyms, and distributional information in Turkey as provincial codes are given.

**Key Words:** *Lepidoptera*, fauna, checklist, Turkey, Bayburt Province.

This article is based upon the information of the Databank and the Collection of the Cesa. The aim is to inform the readers about the present situation of the Lepidoptera fauna of the Province Bayburt. This province is currently under investigation within the Project Lepidoptera of Turkey (LTR) carried out by the authors (Cesa) for the period 2007-2010. The publications on the Lepidoptera of Turkey used are listed in *Memoirs* vol.2 (1991) and 3-4 [under preparation]. In the list mentioned below, all the species known from the related province are given as current scientific name combination, author(s), date of publication. Totally 263 species are arranged alphabetically under the related families. Synonymous names are given with the author(s) and date of publication in the chronological order. Distributional information of each species indicates that the Turkish provinces in codes<sup>2</sup>.

In the next issues of this serials you will find similar faunistic lists of the various provinces of Turkey, under investigation within the frame of the research Project of the Cesa.<sup>3</sup>

- 1) **Spiris striata (Linnaeus,1758)** (Arctiidae) *striata* Linnaeus,1758; *grammica* Linnaeus,1758; *funerea* Eversmann,1847; *strandii* Obraztsov,1936; *slovenica* Daniel,1939; *wisniewskii* Wojtusiak & Niesielowski,1946; *hospitali* Marten,1948. 05 06 08 10 14 16 25 26 28 45 60 66 69
- 2) **Aglais urticae (Linnaeus,1758)** (Argynnididae) *urticae* Linnaeus,1758; *opima* Verity,1919; *variegata* Querci,1932; *strandii* Verity,1936. 01 02 03 04 05 06 07 08 10 11 12 13 14 16 17 18 19 21 22 23 24 25 26 28 29 30 31 32 33 34 35 36 37 38 39 42 43 44 46 49 50 51 52 53 55 58 60 61 62 65 66 69 70 73 74 76 78 81
- 3) **Argynnis (Fabriciana) niobe (Linnaeus,1758)** (Argynnididae) *niobe* Linnaeus,1758. 01 03 04 05 06 07 08 11 12 13 14 15 16 18 23 24 25 27 29 30 31 32 33 35 36 38 39 42 43 44 46 47 48 49 50 51 53 56 58 60 61 62 65 66 69 71 70 73 74 76 80
- 4) **Argynnis (Pandoriana) pandora (Denis & Schiffermüller,1775)** (Argynnididae) *pandora* [Denis & Schiffermüller],1775; *maja* Cramer,1775 *nec* Fabricius,1775; *cynara* Fabricius,1777; *cyrnea* Schwerda,1926; *transcaucasica* Moucha,1967; *deserticola* Gross & Ebert,1975. 01 02 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 40 42 43 44 46 47 48 49 50 51 52 53 55 56 58 60 61 62 63 65 66 67 69 70 71 72 73 74 76 77 78 80 81
- 5) **Argynnis (Speyeria) aglaja (Linnaeus,1758)** (Argynnididae) *aglaja* Linnaeus,1758; *charlotta* Haworth,1802; *emilia* Acerbi,1802 *nec* Cr.,1779; *caroletta* Jermyn,1827; *locuples* Verity,1919 *nec* Butler,1879; *emilocuples* Verity,1919; *locupletata* Verity,1922; *montesignum* Sagarra,1926. 01 03 04 05 06 07 08 10 11 13 14 16 18 24 25 26 28 29 30 31 32 33 34 36 37 39 42 43 46 50 51 53 57 58 60 61 62 65 66 67 69 74 76
- 6) **Brenthis daphne (Bergsträsser,1780)** (Argynnididae) *daphne* Bergsträsser,1780; *chloris* Esper,1778 *nec* Fabricius,1775; *epidaphne* Fruhstorfer,1907; *nikator* Fruhstorfer,1909; *tenuitermaculosa* Verity,1922; *syriaca* Belter,1935; *anatolica* Belter,1935. 01 03 05 07 08 10 11 13 15 16 17 20 22 23 24 25 29 30 31 32 33 34 36 37 39 42 43 44 45 46 48 49 59 60 62 69 73 76
- 7) **Brenthis hecate (Denis & Schiffermüller,1775)** (Argynnididae) *hecate* [Denis & Schiffermüller],1775; *harmothoe* Fruhstorfer,1917; *florida* Verity,1919; *stricta* Verity,1933. 03 05 06 08 10 13 16 23 24 25 29 30 34 36 37 39 42 44 49 58 60 62 65 66 69 70 73 74 76
- 8) **Brenthis ino (Rottemburg,1775)** (Argynnididae) *ino* Rottemburg,1775; *dictynna* [Denis & Schiff.],1775; *parthenie* Bergsträsser,1780; *flavomaculatus* Retzius,1783; *adula*, *tergesta*, *eporedia* Fruhst.,1910; *pyrenaica* Sagarra,1925; *asiaepallens* Verity,1933; *sesquierilda* Verity,1957. 24 25 36 39 60 69 76
- 9) **Cynthia cardui (Linnaeus,1758)** (Argynnididae) *cardui* Linnaeus,1758; *carduelis* Cramer,1775; *elymi* Rambur,1829; *kershawi* McCoy,1868; *pallida* Schoyen,1881; *universa* Verity,1919; *takesakiana* Kato,1925. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 65 66 67 68 69 70 71 72 73 74 76 78 80 81

<sup>†</sup> This faunal list is the preliminary results based upon the Databank of the Cesa, and a part the Project entitled "Lepidoptera of Turkey (LTR)" See: Koçak,A.Ö. & M.Kemal, 2007, Results of the International Projects of the CESA on the Lepidoptera of the World- I. *Cent. ent. Stud., Memoirs* 3-4: [in preparation].

<sup>2</sup> The explanations of the codes are obtainable in the following internet address: <http://www.members.tripod.com/Cesa88/CODE.doc>

<sup>3</sup> see also Priamus 11 (5), 11 (6), et seq.

- 10) **Euphydryas (Eurodryas) aurinia (Rottemburg,1775)** (Argynnididae) *aurinia* Rottemburg,1775; *artemis* [Denis & Schiffermüller],1775; *lye Bergsträßer*,[1779]; *koloswarensis* Piller & Mitterpacher,1783; *scotica* Robson,1880; *signifera* Kane,1893; *anglicana* Fruhstorfer,1917; *acedia* Fruhstorfer,1917. 05 06 08 14 16 18 25 29 30 34 36 46 53 59 62 65 69 73 75 76
- 11) **Inachis io (Linnaeus,1758)** (Argynnididae) *io* Linnaeus,1758; *ioides* Ochsenheimer,1808; *caucasica* Jachontov,1911. 05 06 08 10 11 14 16 17 21 24 25 28 29 34 37 39 43 52 53 55 57 58 60 61 66 69 74 78 81
- 12) **Issoria lathonia (Linnaeus,1758)** (Argynnididae) *lathonia* Linnaeus,1758; *saturata* Röber,1897; *hungarica* Aigner-Abafi,1906; *florens* Verity,1916; *emiflorens* Verity,1919; *attenuata* Sagarra,1926; *nigroprivata* Verity,1933. 01 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 42 43 44 45 46 48 49 50 51 52 53 55 57 58 59 60 61 62 65 66 67 69 70 71 73 74 76 77 80 81
- 13) **Melitaea (Cinclidia) (phoebe) phoebe (Goeze,1779)** (Argynnididae) *#phoebe* [Denis & Schiffermüller],1775; *phoebe* Goeze,1779; *paedotropos* Bergsträßer,[1780]; *tremulae* Piller & Mitterpacher,1783. 01 04 05 06 08 10 11 13 14 16 17 22 23 24 25 26 27 30 33 34 36 39 41 42 44 46 50 51 55 58 59 61 62 65 66 69 71 73 74 77 78 80
- 14) **Melitaea (Cinclidia) (phoebe) punica Oberthür,1876** (Argynnididae) *punica* Oberthür,1876 01 02 03 05 06 07 08 10 12 13 15 16 17 18 19 20 21 23 24 25 26 27 28 29 30 31 32 33 35 36 38 41 42 43 44 46 48 49 50 51 55 58 60 62 65 66 68 69 70 71 73 76 80
- 15) **Melitaea (Didymaeformis) didyma (Esper,[1779])** (Argynnididae) *didyma* Esper,[1779]; *armoricana* Oberthür,1909. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 46 47 48 49 50 51 53 54 55 58 60 61 62 63 64 65 66 67 68 69 70 71 73 74 76 78 80
- 16) **Melitaea (Didymaeformis) fascelis (Fabricius,1787)** (Argynnididae) *#trivia* Denis & Schiffermüller,1775; *iphigenia* Esper,1782 (*praeoc.*); *#fascelis* Esper,1783; *fascelis* Fabricius,1787; *cleo* Latreille,1803 01 02 03 05 06 07 08 09 10 11 12 13 15 16 17 18 19 20 22 23 25 27 29 30 31 32 33 34 35 36 37 38 39 41 42 43 44 45 47 48 49 50 51 55 56 57 58 59 60 62 63 65 66 69 70 71 73 76 77 80 81
- 17) **Melitaea (s.str.) cinxia (Linnaeus,1758)** (Argynnididae) *cinxia* Linnaeus,1758; *abacus* Retzius,1783; *fulla* Quensel,1791. 01 02 03 04 05 06 07 08 12 13 14 16 17 18 20 21 23 24 25 26 27 28 29 30 31 32 33 34 36 37 38 39 41 42 43 44 46 47 48 49 50 51 52 55 56 58 60 61 62 65 66 69 70 71 73 74 76 80
- 18) **Mellicta athalia (Rottemburg,1775)** (Argynnididae) *athalia* Rottemburg,1775; *eos* Rossi,1803 *nec* Rossi,1794; *pyronia* Hübner,1804; *aphaea* Hübner,1816; *tessellata* Stephens,1827; *britannia* Verity,1914; *luciflua* Fruhstorfer,1916; *vividior* Gouin,1922; *subluciflua* Verity,1935; *mixta* *aceladussa* Verity,1940; *neglecta* Pfau,1962 01 03 05 06 08 10 11 16 17 18 19 24 25 29 30 31 34 36 37 39 42 52 53 54 55 58 60 61 62 66 69 73 74
- 19) **Mellicta aurelia (Nickerl,1850)** (Argynnididae) *parthenie* Borkhausen,1788 *nec* Bergsträßer,[1780]; *aurelia* Nickerl,1850; *#serotina* Oberthür,1909; *lucasi* Verity,1920. 05 08 25 53 69 75 76
- 20) **Nymphalis xanthomelas (Esper,[1781])** (Argynnididae) *#xanthomelas* [Denis & Schiffermüller],1775; *xanthomelas* Esper,[1781] 01 05 06 08 12 13 16 24 25 30 31 33 34 36 42 46 49 51 62 69 72 73 76
- 21) **Cossulinus lignosus (Brandt,1938)** (Cossidae) *lignosus* Brandt,1938 04 12 25 30 36 42 46 49 50 58 68 69
- 22) **Amata transcaspica Obratzov,1941** (Ctenuchidae) *transcaspica* Obratzov,1941 44 58 69
- 23) **Aplocera annexata (Freyer,[1830])** (Geometridae) *annexata* Freyer,[1830]; *boisduvaliata* Duponchel,1831 05 06 16 24 31 33 36 38 42 46 58 60 61 65 69 76
- 24) **Cidaria fulvata (Forster,1771)** (Geometridae) *fulvata* Forster,1771 06 14 24 29 42 58 69 76
- 25) **Entephria ignorata (Staudinger,1892)** (Geometridae) *ignorata* Staudinger,1892 13 51 69
- 26) **Lythria purpuraria (Linnaeus,1758)** (Geometridae) *purpuraria* Linnaeus,1758; *cruentata* Hufnagel,1767 *nec* Sc.,1763; *sanguinolenta* Fourcroy,1785 *nec* Linn.,1767 05 06 14 16 17 22 31 33 34 38 39 42 46 58 60 69 71
- 27) **Pellonia vibicaria (Linnaeus,1761)** (Geometridae) *#vibicaria* Clerck,1759; *vibicaria* Linnaeus,1761; *cruentata* Scopoli,1763; *rubrofasciata* Hufnagel,1767; *artriosa* Fourcroy,1785; *cruentaria* Villers,1789. 05 13 14 22 29 34 38 39 42 59 65 69 76
- 28) **Rhodostrophia auctata (Staudinger,1879)** (Geometridae) *auctata* Staudinger,1879 05 06 24 25 29 38 42 43 46 49 50 58 62 65 69 71 76
- 29) **Scopula tessellaria (Boisduval,1840)** (Geometridae) *tessellaria* Boisduval,1840; *pulverulentaria* Selys-Longchamps,1844; *tabianaria* Turati,1905; *proutiana* Shelfjuzhko,1955 14 25 69
- 30) **Scotopteryx alpherakii (Erschoff,1877)** (Geometridae) *alpherakii* Erschoff,1877 08 25 69
- 31) **Scotopteryx bipunctaria ([Denis & Schiffermüller],1775)** (Geometridae) *bipunctaria* [Denis & Schiffermüller],1775; *undulata* Scopoli,1763 *nec* Linn.,1758; *geminataria* Villers,1789; *gachtaria* Freyer,1851 05 06 08 14 16 17 29 36 38 53 60 61 69 75
- 32) **Scotopteryx chenopodiata (Linnaeus,1758)** (Geometridae) *chenopodiata* Linnaeus,1758; *limitata* Scopoli,1763; *zonata* Hufnagel,1767; *olivaceofasciata* Retzius,1783; *chenopodiaria* Haworth,1809; *mensuraria* sensu Duponchel,1829 05 06 08 14 18 42 36 53 61 65 69 75
- 33) **Scotopteryx diana Riemis,1997** (Geometridae) *diana* Riemis,1997 69
- 34) **Stamnodes depeculata (Lederer,1870)** (Geometridae) *depeculata* Lederer,1870 69
- 35) **Triphosa sabaudia (Duponchel,1830)** (Geometridae) *sabaudia* Duponchel,1830 29 69
- 36) **Xanthorhoe decoloraria (Esper,[1806])** (Geometridae) *decoloraria* Esper,[1806]; *munitata* Hübner,[1809]; *munitaria* Boisduval,1840; *collinaria* Metzner,1840; *pauperrimata* Christoph,1888 69 75
- 37) **Carcharodus (Reverdinus) flocciferus (Zeller,1847)** (Hesperiidae) *flocciferus* Zeller,1847; *altheae* Hübner,[1803] *nec* Esp.,[1783]; *imperator* Hemming,1934; *alchymillae* Hemming,1936; *autumnalis* Verity,1940. 08 25 30 36 53 65 69 71 75 76
- 38) **Carcharodus (Reverdinus) orientalis Reverdin,1913** (Hesperiidae) *orientalis* Reverdin,1913; *centralanatolica* Pfeiffer,1927; *aestatis* Verity,1928; *postorientalis* Verity,1928; *maccabaeus* Hemming,1932. 01 03 05 06 07 08 10 13 14 16 17 18 19 20 21 23 24 25 27 29 30 31 32 33 34 35 36 38 42 43 44 46 47 48 49 50 51 56 58 60 62 65 66 69 70 73 74 76
- 39) **Erynnis (s.str.) tages (Linnaeus,1758)** (Hesperiidae) *tages* Linnaeus,1758; *morio* Scopoli,1763; *geryon* Rottemburg,1775; *subclarus* Verity,1921. 01 03 05 06 07 08 11 12 13 14 16 17 18 21 22 23 24 25 26 28 29 30 31 32 33 34 35 36 37 38 41 42 44 45 46 49 50 51 52 54 56 58 59 62 65 66 67 69 70 71 73 75 76
- 40) **Hesperia comma (Linnaeus,1758)** (Hesperiidae) *comma* Linnaeus,1758; *virgula* Retzius,1783; *alpina* Bath,1896; *galliaemeridiei* Verity,1928; *alpapennina* Verity,1928; *alpiumflava* Verity,1928; *macrocomma* Verity,1928; *superalpina* Verity,1928; *atralpina* Verity,1928. 03 04 05 06 07 08 10 13 14 15 16 23 24 25 29 30 32 33 35 36 38 42 46 50 51 58 60 65 66 69 70 71 76 81
- 41) **Muschampia tessellum (Hübner,[1802])** (Hesperiidae) *tessellum* Hübner,[1802]; *hibisci* Böber,1812; *mazzola* Ochsenheimer,1816 03 06 08 14 16 21 24 25 29 34 36 43 48 67 69 75 76 81
- 42) **Ochlodes venatus (Bremer & Grey,[1852])** (Hesperiidae) *venatus* Bremer & Grey,[1852] 01 02 03 05 06 07 08 10 11 13 14 16 17 24 25 26 29 30 31 32 33 34 36 37 39 41 42 43 46 53 58 60 61 62 65 66 69 72 73 74 81
- 43) **Pyrgus alveus (Hübner,[1803])** (Hesperiidae) *alveus* Hübner,[1803]; *alticolus* Rebel,1910; *ryffellensis* Oberthür,1910; *claralveus* Verity,1934; *confusa* Renner,1991. 04 08 24 25 29 30 36 51 53 61 62 69 75 76
- 44) **Pyrgus armoricanus (Oberthür,1910)** (Hesperiidae) *armoricanus* Oberthür,1910; *petheri* Romei,1927. 01 02 03 04 05 06 07 08 09 12 13 14 16 17 18 19 23 24 25 26 27 28 29 30 32 33 34 35 36 37 38 41 42 43 44 46 48 49 51 52 53 58 60 61 62 65 66 68 69 70 71 73 74 76
- 45) **Pyrgus cirsii (Rambur,[1839])** (Hesperiidae) *cirsii* Rambur,[1839]; *turcivola* De Lattin,1950. 08 13 24 25 36 65 69 75 76
- 46) **Pyrgus melotis (Duponchel,[1834])** (Hesperiidae) *melotis* Duponchel,[1834]; *hypoleucus* Lederer,1853; *jordana* Hemming,1932. 01 02 03 04 05 06 07 08 09 10 12 13 14 18 20 21 23 24 25 27 28 29 30 31 32 33 35 36 38 42 43 44 46 48 49 50 51 52 53 58 60 61 65 66 69 70 71 73 81
- 47) **Pyrgus serratulae (Rambur,[1839])** (Hesperiidae) *serratulae* Rambur,[1839]; *caecus* Freyer,1846; *occidentalis* Lucas,1910 *nec* Skinn.,1906; *planorum* Verity,1925; *magnagallica* Verity,1931; *plurisignata* Silbernagel,1946; *arvernensis* Picard,1948. 01 03 04 05 06 07 08 12 13 14 17 18 23 24 25 27 28 29 30 31 32 33 34 36 37 38 42 46 47 48 49 50 51 52 53 54 58 60 61 62 65 66 69 70 71 73 74 76

- 48) **Pyrgus sidae** (Esper,[1784]) (Hesperiidae) *sidae* Esper,[1784] 01 03 04 05 06 07 08 10 12 13 14 16 17 18 20 21 23 24 25 28 29 30 32 33 34 35 36 38 39 41 42 46 49 50 51 53 58 59 60 61 62 65 66 69 71 72 73 74 76 81
- 49) **Spialia (Neospialia) orbifer** (Hübner,[1823]) (Hesperiidae) *orbifer* Hübner,[1823]; *tesselloides* Herrich-Schäffer,[1845]. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 23 24 25 27 28 29 30 31 32 33 34 35 36 37 38 39 40 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 58 59 60 61 62 63 64 65 66 68 69 70 71 72 73 74 75 76 77 80
- 50) **Spialia (s.str.) phlomidis** (Herrich-Schäffer,[1845]) (Hesperiidae) *phlomidis* Herrich-Schäffer,[1845]; *eupator* Hemming,1932; *kiki* Higgins,1974. 03 04 05 06 07 08 10 12 13 14 15 16 17 19 23 24 25 26 29 30 32 34 36 38 42 44 49 50 51 58 60 62 65 66 69 70 71 75 76
- 51) **Thymelicus lineolus** (Ochsenheimer,1808) (Hesperiidae) *lineolus* Ochsenheimer,1808; *virgula* Hübner,1813 *nec* Retz.,1783; *ludoviciae* Mabille,1883; *pallida* Tutt,1896; *clara* Tutt,1905; *hemmingi* Romei,1927; *melissus* Zerny,1932; *fornax* Hemming,1934 01 02 03 04 05 06 07 08 10 12 13 14 15 16 18 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 36 38 39 40 42 43 44 46 47 48 49 50 51 56 58 60 62 63 65 66 69 70 71 73 74 75 76 80
- 52) **Thymelicus sylvestris** (Poda,1761) (Hesperiidae) *sylvestris* Poda,1761; *flava* Brünnich,1763; *linea* Müller,1764; *thaumas* Hufnagel,1766; *divaricatus* Fourcroy,1785; *venula* Hübner,[1813]; *obscura* Verity,1905 01 02 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 42 43 44 45 46 47 48 49 50 51 56 58 60 61 62 63 64 65 66 67 69 70 71 72 73 74 76 81
- 53) **Malacosoma alpicola** Staudinger,1870 /**primum** Staudinger,1887 (Lasiocampidae) *alpicola* Staudinger,1870 12 13 30 36 44 45 60 65 66 69
- 54) **Callophrys chalybeitincta** Sovinsky,1905 (Lycaenidae) *chalybeitincta* Sovinsky,1905; *caerulescens* A.Bang-Haas,1912; *schamyl* Sheldon,1914. 08 25 69 75
- 55) **Callophrys paulae** Pfeiffer,1932 (Lycaenidae) *paulae* Pfeiffer,1932; *kolak* Higgins,1965 24 25 30 38 46 50 51 60 62 65 69 70 73 75
- 56) **Callophrys rubi** (Linnaeus,1758) (Lycaenidae) *rubi* Linnaeus,1758 01 03 05 06 07 08 10 12 13 14 16 17 18 21 22 24 25 26 28 29 30 31 32 33 34 35 36 37 38 39 40 42 44 45 46 48 50 51 52 55 58 60 62 65 66 69 70 71 73 75
- 57) **Celastrina argiolus** (Linnaeus,1758) (Lycaenidae) *argiolus* Linnaeus,1758; *cleobis* Sulzer,1776; *thersanon* Bergsträßer,1779; *argyphontes* Bergsträßer,1779; *argalus* Bergsträßer,1779; *marginatus* Retzius,1783; *acis* Fabricius,1787 *nec* Dru.,[1773]; *#parvipuncta* Fuchs,1880; *calidogenita* Verity,1919; *britannia* Verity,1919. 01 02 03 05 06 07 08 09 10 11 12 13 14 15 16 17 18 20 21 22 23 24 25 27 28 29 30 31 32 33 34 35 36 37 38 39 41 42 43 45 46 47 48 49 50 51 52 53 54 56 59 60 61 62 65 66 67 69 73 75 76 81
- 58) **Cupido (s.str.) minimus** (Fuessly,1775) (Lycaenidae) *minimus* Fuessly,1775; *alsus* [Denis & Schiffermüller],1775; *pseudolus* Bersträßer,[1779]; *puer* Schrank,1801. 01 03 06 16 24 25 29 32 36 37 42 51 53 58 60 65 66 69 74 76
- 59) **Cupido (s.str.) osiris** (Meigen,[1829]) (Lycaenidae) *osiris* Meigen,[1829]; *saportae* Duponchel,1832; *violacea* Verity,1911; *sebrus* Boisduval,[1833]. 01 03 04 05 06 07 08 10 11 13 14 15 16 17 18 19 21 23 24 25 26 28 29 30 31 32 33 35 36 37 38 41 42 44 46 48 50 51 52 53 58 59 60 61 62 65 66 67 68 69 70 71 73 75 76 81
- 60) **Glaucopsyche (s.str.) alexis** (Poda,1761) (Lycaenidae) *alexis* Poda,1761; *damaetas* [Denis & Schiffermüller,1775; #*sublugens* Strand,1909; #*insulicola* Turati & Fiori,1930; #*mirioni* Coutsis,1976. 01 02 03 04 05 06 07 08 09 11 12 13 14 15 16 17 18 19 20 21 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 41 42 43 44 45 46 47 48 49 50 51 52 58 60 61 62 65 66 68 69 70 71 73 74 76 80
- 61) **Heodes (Loweia) tityrus** (Poda,1761) (Lycaenidae) *tityrus* Poda,1761; *acriton* [Brünnich],1763; *orientalis* Staudinger,1881; *argentifex* Balint,1990. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79
- 62) **Heodes (s.str.) virgaureae** (Linnaeus,1758) (Lycaenidae) *virgaureae* Linnaeus,1758; *armeniaca* A.Bang-Haas,1906; *chrysorhoas* Fruhstorfer,1917; *balcanicola* Graves,1928. 01 03 04 05 06 08 11 13 14 16 18 24 25 26 29 30 32 33 36 37 42 43 46 51 53 58 60 62 65 66 69 75 76
- 63) **Lycaena (s.str.) phlaeas** (Linnaeus,1761) (Lycaenidae) *phlaeas* Linnaeus,1761; *virgaureae* Fourcroy,1785 *nec* Linnaeus,1758; *eleus* Fabricius,1798; *aestivas* Zeller,1850; *schmidtii* Gerhard,1853 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 41 42 44 45 46 47 48 49 50 51 52 53 54 55 56 58 59 60 61 62 63 65 66 68 69 71 72 73 74 76 81
- 64) **Maculinea arion** (Linnaeus,1758) (Lycaenidae) *arion* Linnaeus,1758; *telegone* Bergsträßer,1779; *caucasica* Jachontov,1914 *nec* Led.,1870; *zara* Jachontov,1935. 03 04 05 06 08 13 14 16 24 25 29 34 36 49 62 65 69 74 76
- 65) **Maculinea nausithous** (Bergsträßer,[1779]) (Lycaenidae) *nausithous* Bergsträßer,[1779]; *arcas* Rottemburg,1775 *nec* Dru.,1773; *erebus* Knoch,1782. 04 08 24 25 36 69 75 76
- 66) **Maculinea rebeli** (Hirschke,1904) (Lycaenidae) *rebeli* Hirschke,1904; *coerulea* Vorbrodt,1912; *latimargo* Courvoisier,1913; *alpicola* Beuret,1949; *cruciata* Beuret,1949; *gadmensis* Beuret,1949; *magnalpicola* Beuret,1949. 08 18 24 25 29 36 37 60 65 69 74 76
- 67) **Palaeochrysophanus candens** (Herrich-Schäffer,[1845]) (Lycaenidae) *candens* Herrich-Schäffer,[1845] 03 04 05 06 08 13 14 16 18 24 25 28 29 30 36 43 49 53 58 60 61 65 66 69 75 76
- 68) **Plebejus (Kretania) carmon** (Gerhard,[1851]) (Lycaenidae) *carmon* Gerhard,[1851, November]; *euryпилus* Freyer,[1851,December]. 01 02 03 04 05 06 07 08 12 13 14 16 18 19 21 23 24 25 26 27 28 29 30 31 32 33 35 36 38 42 44 46 47 48 49 50 51 56 58 60 62 63 64 65 66 69 70 71 72 73 74 76
- 69) **Plebejus (Lycaeides) argyrognomon** (Bergsträßer,[1779]) (Lycaenidae) *argyrognomon* Bergsträßer,[1779] 08 25 61 69 75
- 70) **Plebejus (Lycaeides) idas** (Linnaeus,1761) (Lycaenidae) *idas* Linnaeus,1761; *leodorus* Esper,1782; *acreon* Fabricius,1787; *amphion* Fabricius,1793. 01 03 04 05 06 07 08 13 14 16 18 19 24 25 26 29 30 33 36 37 38 42 44 46 49 51 52 53 58 62 65 66 67 69 70 73 74 76
- 71) **Plebejus (Plebejides) modicus** Verity,1935 (Lycaenidae) *modicus* Verity,1935; *microsephyrus* Verity,1935 01 02 03 04 05 06 07 08 12 13 14 16 17 18 19 21 23 24 25 26 27 28 29 30 32 33 34 35 36 37 38 42 44 46 47 48 49 50 51 52 53 56 58 59 60 62 65 66 68 69 70 71 72 73 75 76
- 72) **Plebejus (s.str.) argus** (Linnaeus,1758) (Lycaenidae) *argus* Linnaeus,1758; *aegon* Denis & Schiffermüller,1775; *plouharnelensis* Oberthür,1926; *pulchraphilonome* Verity,1931. 01 03 04 05 06 07 08 10 13 14 16 17 18 22 24 25 26 28 29 30 32 33 34 36 37 38 39 41 42 43 46 49 50 51 52 53 54 55 58 59 60 62 65 66 67 69 70 73 75 76
- 73) **Polyommatus (Agriades (s.str.)) pyrenaicus** (Boisduval,1840) (Lycaenidae) *pyrenaicus* Boisduval,1840; #*pyrenicus* Naderi,2003 04 05 08 13 16 24 25 29 38 42 51 53 58 60 65 69 76
- 74) **Polyommatus (Albulina (Plebejidea)) loewii** (Zeller,1847) (Lycaenidae) *loewii* Zeller,1847; *empyrea* Gerhard,[1851]; *gigas* Staudinger,1871; #*robusta* Turati & Fiori,1930; *germanicae* Pfeiffer,1932; *dzhagamati* Sheljuzhko,1934. 01 02 03 04 05 06 07 08 12 13 14 15 18 21 24 25 26 27 29 30 32 33 36 37 38 40 42 43 44 46 47 48 49 50 51 53 56 58 60 62 63 65 66 69 70 71 72 73 75 76 80
- 75) **Polyommatus (Albulina (Vacciniina)) alcedo** (Christoph,1877) (Lycaenidae) *alcedo* Christoph,1877 08 13 24 25 27 29 30 32 36 38 50 51 58 62 65 69 73 76
- 76) **Polyommatus (Aricia (Eumedonia)) eumedon** (Esper,[1780]) (Lycaenidae) *chiron* Rottemburg,1775 *nec* Fabricius,1775; *eumedon* Esper,[1780]; *osiris* Bang-Haas,1927 *nec* Hopffer,1855; *rumeliensis* Eitschberger & Stein,1975; *jeanensis* Eitschberger & Stein,1975; *kagizmanensis* Koçak,1980. 01 03 05 06 08 13 14 16 18 24 25 29 32 33 36 38 42 46 51 53 58 60 61 65 66 69 74 75 76
- 77) **Polyommatus (Aricia (s.str.)) agestis** ([Denis & Schiffermüller],1775) (Lycaenidae) *medon* Hufnagel,1766 *nec* Linn.,1763; *alexis* Rottemburg,1775 *nec* Poda,1761; *agestis* [Denis & Schiffermüller],1775; *astrache* Bergsträßer,[1779]. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 40 41 42 44 45 46 47 48 49 50 51 54 55 56 58 60 61 62 63 65 66 68 69 70 71 72 73 75 76 81
- 78) **Polyommatus (Aricia (s.str.)) artaxerxes** (Fabricius,1793) (Lycaenidae) *artaxerxes* Fabricius,1793. 03 06 08 14 18 25 29 32 36 45 60 61 65 69 75
- 79) **Polyommatus (s.str. (Agrodiaetus (Actisia))) firdussii** (Forster,1956) (Lycaenidae) *firdussii* Forster,1956 01 03 04 08 24 25 29 30 31 36 38 42 44 46 49 50 51 58 62 65 66 69 76



- 80) **Polyommatus (s.str. (Agrodiaetus (Admetusia))) admetus (Esper,[1783])** (Lycaenidae) *admetus Esper,[1783]* 01 02 03 05 06 07 08 09 10 11 14 15 16 17 18 20 22 24 25 26 29 32 33 35 36 38 39 40 41 42 43 44 46 50 51 55 58 59 60 62 64 66 68 69 70 71 75 76
- 81) **Polyommatus (s.str. (Agrodiaetus (Admetusia))) eriwanensis (Forster,1960)** (Lycaenidae) *eriwanensis Forster,1960* 08 24 25 36 58 62 65 69 75 76
- 82) **Polyommatus (s.str. (Agrodiaetus (Admetusia))) ripartii (Freyer,[1830])** (Lycaenidae) *ripartii Freyer,[1830]* 01 03 05 06 07 08 13 14 16 18 23 24 25 26 29 30 32 33 34 36 38 40 42 44 46 50 51 58 60 62 65 66 69 70 74 76
- 83) **Polyommatus (s.str. (Agrodiaetus (Antidolus))) menalcas (Freyer,[1837])** (Lycaenidae) *menalcas Freyer,[1837]; epidolus Boisduval,1840; #amasina Neuburger,1900.* 01 03 04 05 06 07 10 11 13 15 16 20 23 24 25 26 29 32 33 34 38 40 42 43 44 46 48 50 51 55 58 60 62 65 66 68 69 70 71 74
- 84) **Polyommatus (s.str. (Agrodiaetus (Antidolus))) poseidon (Herrich-Schäffer,[1851])** (Lycaenidae) *poseidon Herrich-Schäffer,[1851]; mesopotamica Staudinger,1892.* 01 03 04 05 06 08 23 24 25 29 33 38 42 43 44 46 50 51 58 60 62 64 66 69 70 71 76 80
- 85) **Polyommatus (s.str. (Agrodiaetus (Musa))) wagneri (Forster,1956)** (Lycaenidae) *wagneri Forster,1956* 01 03 04 06 07 08 13 23 24 25 29 30 32 33 36 38 42 46 50 51 58 60 62 65 66 69 70 76
- 86) **Polyommatus (s.str. (Agrodiaetus (Phyllisia))) iphigenia (Herrich-Schäffer,[1847])** (Lycaenidae) *iphigenia Herrich-Schäffer,[1847]* 01 03 04 05 06 07 08 13 14 16 24 25 29 30 32 33 36 37 38 42 46 48 51 53 58 60 62 65 66 69 70 76
- 87) **Polyommatus (s.str. (Agrodiaetus (Phyllisia))) tankeri (De Lesse,1960)** (Lycaenidae) *tankeri De Lesse,1960* 04 25 36 69 76
- 88) **Polyommatus (s.str. (Agrodiaetus (Phyllisia))) vanensis (De Lesse,1957)** (Lycaenidae) *vanensis De Lesse,1957* 04 08 13 24 25 30 36 62 65 69 76
- 89) **Polyommatus (s.str. (Agrodiaetus (Transcaspium))) aserbeidschanus (Forster,1956)** (Lycaenidae) *aserbeidschana Forster,1956* 08 25 29 36 69
- 90) **Polyommatus (s.str. (Agrodiaetus (Transcaspium))) eurytilos (Gerhard,[1851])** (Lycaenidae) *eurytilos Gerhard,[1851]; carmon Herrich-Schäffer,[1851 December]; munzuricus Rose,1978* 01 02 03 05 06 08 15 20 24 25 27 29 33 36 38 42 46 48 50 51 58 60 62 66 69
- 91) **Polyommatus (s.str. (Agrodiaetus (Transcaspium))) huberti (Carbonell,1993)** (Lycaenidae) *huberti Carbonell,1993* 04 08 13 24 25 29 30 36 65 69 76
- 92) **Polyommatus (s.str. (Agrodiaetus (Transcaspium))) ninae (Forster,1956)** (Lycaenidae) *ninae Forster,1956* 04 08 13 24 25 29 30 36 65 69 76
- 93) **Polyommatus (s.str. (Agrodiaetus (Transcaspium))) turcicus (Koçak,1977)** (Lycaenidae) *turcicus Koçak,1977* 04 08 13 24 25 29 30 36 62 65 69 76
- 94) **Polyommatus (s.str. (Agrodiaetus (s.str.))) damon ([Denis & Schiffermüller],1775)** (Lycaenidae) *damon [Denis & Schiffermüller],1775* 04 08 24 25 29 36 69 75 76
- 95) **Polyommatus (s.str. (Cyaniris)) bellis (Freyer,[1842])** (Lycaenidae) *bellis Freyer,[1842]; mesopotamica Tutt,[1909].* 01 03 04 05 06 07 08 10 12 13 14 16 17 18 19 23 24 25 27 28 29 30 31 32 33 34 36 37 38 39 42 44 46 49 50 51 52 53 58 59 60 61 62 65 66 69 70 71 73 74 76 80
- 96) **Polyommatus (s.str. (Lysandra)) bellargus (Rottemburg,1775)** (Lycaenidae) *bellargus Rottemburg,1775; thetis Rottemburg,1775 nec Dru.,1773; adonis Denis & Schiffermüller,[1775]; salacia Bergsträßer,1779; venilia Bergsträßer,1779;; hyacinthus Lewin,1795; urania Gerhard,[1851]; persemagna Verity,1937; arentissima Verity,1937; arens Verity,1937; arentior Verity,1937; anteaerentior Verity,1937; parabellargus Verity,1939; shakla Higgins,1958* 01 02 03 04 05 06 07 08 11 12 13 14 15 16 18 19 20 21 23 24 25 26 27 28 29 30 32 33 34 36 37 38 39 41 42 43 44 46 49 50 51 52 53 55 58 60 61 62 65 66 68 69 70 71 72 73 74 75 76 80
- 97) **Polyommatus (s.str. (Lysandra)) corydonius (Herrich-Schäffer,[1852])** (Lycaenidae) *corydonius Herrich-Schäffer,[1852]* 04 08 12 13 23 24 25 29 36 49 62 65 69 73 75 76
- 98) **Polyommatus (s.str. (Meleageria)) daphnis ([Denis & Schiffermüller],1775)** (Lycaenidae) *daphnis [Denis & Schiffermüller],1775; endymion [Denis & Schiffermüller],1775 nec Fabricius,1775; meleager Esper,1778; dalmatina Wagner,1909.* 01 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 20 21 23 24 25 26 29 30 31 32 33 34 35 36 38 40 42 43 44 46 48 49 50 51 53 58 60 62 65 66 68 69 70 71 73 74 76
- 99) **Polyommatus (s.str. (Neolysandra)) coelestinus (Eversmann,1843)** (Lycaenidae) *coelestinus Eversmann,1843* 01 04 05 06 07 08 12 13 23 24 25 28 29 30 36 38 42 44 49 52 58 62 65 69 73 76
- 100) **Polyommatus (s.str. (Neolysandra)) diana (Miller,[1913])** (Lycaenidae) *diana Miller,[1913]* 04 25 29 36 69 76
- 101) **Polyommatus (s.str. (Plebicula)) amandus (Schneider,1792)** (Lycaenidae) *icarius Esper,1789 nec Rottemburg,1775; amandus Schneider,1792* 01 02 03 04 05 06 07 08 10 13 14 16 17 18 19 21 23 24 25 27 28 29 30 31 32 33 34 36 38 42 44 46 47 48 49 50 51 52 53 56 58 60 62 65 66 69 70 71 73 74 76 80
- 102) **Polyommatus (s.str. (Plebicula)) dorylas ([Denis & Schiffermüller],1775)** (Lycaenidae) *dorylas [Denis & Schiffermüller],1775; hylas Esper,[1778] nec Linnaeus,1758; argester Bergsträßer,[1779]; magna Balint,1985.* 01 03 05 06 08 14 16 18 24 25 29 32 33 36 37 38 42 46 48 50 51 62 66 69 70 75 76
- 103) **Polyommatus (s.str. (Sublysandra)) aedon (Christoph,1877)** (Lycaenidae) *aedon Christoph,1877* 04 08 13 24 25 29 36 49 53 62 65 69 76
- 104) **Polyommatus (s.str. (Thersitesia)) thersites (Canterer,[1835])** (Lycaenidae) *thersites Canterer,[1835]; chapmani Ball,1914; meridiania Verity,1919.* 01 02 03 06 07 08 09 10 11 13 14 15 16 17 18 19 20 21 22 23 24 25 26 29 30 31 32 33 34 35 36 38 39 40 42 43 44 46 48 49 50 51 52 54 58 59 60 62 64 65 66 68 69 70 71 74 75 76 81
- 105) **Polyommatus (s.str.) forsteri (Pfeiffer,1938)** (Lycaenidae) *forsteri Pfeiffer,1938* 08 24 25 29 69
- 106) **Polyommatus (s.str.) icarus (Rottemburg,1775)** (Lycaenidae) *argus Poda,1761 nec Linn.,1758; alexis Scopoli,1763 nec Pda,1761; thetis Esper,1777 nec Dru.,1773; icarus Rottemburg,1775; pampholyge Bergsträßer,1779; candybus Bergsträßer,1779; candiope Bergsträßer,1779; candaon Bergsträßer,1779; oceanus Bergsträßer,1779; fuscioles Fourcroy,1785; icarinus Scriba,1795; pusillus Gerhard,1851;* 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 75 76 81
- 107) **Pseudophilotes vicrama (Moore,1865)** (Lycaenidae) *vicrama Moore,1865* 01 03 04 05 06 07 08 11 12 13 14 15 16 17 18 19 21 23 24 25 26 27 28 29 30 31 32 33 34 35 36 38 42 43 44 45 46 47 48 49 50 51 58 60 62 63 64 65 66 67 68 69 70 71 73 74 76
- 108) **Rubraetis bavius (Eversmann,1832)** (Lycaenidae) *bavius Eversmann,1832* 01 05 06 07 08 09 13 14 16 17 21 23 24 27 28 30 31 32 33 34 38 41 42 44 46 47 48 51 58 60 62 63 65 69 70 71 73 80
- 109) **Satyrion (Nordmannia) abdominalis (Gerhard,[1850])** (Lycaenidae) *abdominalis Gerhard,[1850]; gerhardi Staudinger,[1895]; alboabdominalis Pfeiffer,1938; persica Riley,1939; #gerhardi Wiltshire,1943; elta Higgins,1964.* 02 05 06 07 08 12 13 17 18 19 21 23 24 25 27 29 30 31 32 33 35 36 38 42 44 46 47 49 50 51 52 58 60 62 63 65 66 69 70 71 72 73 76 80
- 110) **Satyrion (Nordmannia) armenum (Rebel,1901)** (Lycaenidae) *armenum Rebel,1901* 04 08 13 24 25 30 36 49 62 65 69 76
- 111) **Satyrion (Nordmannia) ilicis (Esper,[1779])** (Lycaenidae) *ilicis Esper,[1779]* 01 03 05 06 07 08 09 10 11 14 15 16 17 19 20 22 24 25 26 29 31 32 33 34 35 37 38 39 40 41 42 43 45 48 50 51 54 55 58 60 61 62 66 67 69 70 71 74 76 81
- 112) **Satyrion (Strymonidia) spini (Fabricius,1787)** (Lycaenidae) *#spini [Denis & Schiffermüller],1775; lynceus Esper,[1779] nec Drury,1773; spini Fabricius,1787; cerasi Herbst,1804 nec Fabricius,1787; #albosparsa Oberthür,1910; anatolicus De Lattin,1950.* 01 03 04 05 06 07 08 13 15 16 17 18 19 24 25 26 27 29 30 31 32 33 34 36 38 41 42 43 44 46 48 49 50 51 56 58 60 62 65 66 68 69 70 71 73 74 76 80
- 113) **Satyrion (Superflua) hyrcanicum (Riley,1939)** (Lycaenidae) *hyrcanicum Riley,1939* 08 36 69 76
- 114) **Thersamolycaena (Alciphronia) alciphron (Rottemburg,1775)** (Lycaenidae) *alciphron Rottemburg,1775; lampetie [Denis & Schiffermüller],1775; hiere Fabricius,1787.* 01 02 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 19 21 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 42 43 44 46 49 50 51 53 58 60 61 62 65 66 69 71 73 74 76

- 115) **Thersamonia (s.str.) kefersteinii (Gerhard,[1850])** (Lycaenidae) *kefersteinii* Gerhard,[1850]; *phaeton* Freyer,[1850]; *#ochimus* Herrich-Schäffer,[1851]; *ochimus* Herrich-Schäffer,[1852]. 01 02 04 05 06 07 08 11 12 13 14 21 23 24 25 29 30 32 33 35 36 38 42 43 44 46 47 50 51 58 60 62 63 65 66 68 69 70 71 73 76
- 116) **Thersamonia (s.str.) thersamon (Esper,[1784])** (Lycaenidae) *thersamon* Esper,[1784]; *omphale* Klug,1834; *persica* Bienert,1870; *#militaris* Graves,1925. 01 03 04 05 06 07 08 10 11 12 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 31 32 33 34 35 38 39 40 41 42 43 44 46 48 49 50 51 52 53 55 56 57 58 59 60 62 66 68 69 70 71 72 74 76 77 80
- 117) **Thersamonia (s.str.) thetis (Klug,1834)** (Lycaenidae) *thetis* Klug,1834. 01 03 04 05 06 07 08 12 13 16 24 25 29 30 32 33 35 36 38 42 46 48 49 51 58 60 62 65 66 69 73 76
- 118) **Turanana endymion (Freyer,[1850])** (Lycaenidae) *endymion* Freyer,[1850] 01 02 03 04 05 06 07 08 13 14 15 21 23 24 25 26 29 30 31 32 33 35 36 38 42 44 46 47 50 51 52 58 60 62 65 66 69 70 71 73 76
- 119) **Acronicta (Viminia) auricoma (Fabricius,1787)** (Noctuidae) *#auricoma* [Denis & Schiffermüller],1775; *auricoma* Fabricius,1787; *lapathi* Schrank,1801; *similis* Haworth,1809; *pepli* Hübner,[1813]; *alpina* Freyer,1858 04 08 16 28 30 36 69
- 120) **Actebia praecox (Linnaeus,1758)** (Noctuidae) *praecox* Linnaeus,1758; *praeceps* Denis & Schiffermüller,[1775]. 18 55 69
- 121) **Agrochola (Alpichola) egorovi (O.Bang-Haas,1934)** (Noctuidae) *egorovi* O.Bang-Haas,1934 01 04 12 25 30 36 44 46 56 58 60 65 69 73
- 122) **Agrochola (Alpichola) lactiflora (Draudt,1934)** (Noctuidae) *lactiflora* Draudt,1934 04 08 12 21 25 33 36 44 46 49 58 62 69 70 75
- 123) **Agrotis (s.str.) cinerea ([Denis & Schiffermüller],1775)** (Noctuidae) *cinerea* [Denis & Schiffermüller],1775; *obscura* Hübner,[1803]; *dentimaculatus* Haworth,1803; *fusca* Boisduval,[1837]; *murina* Eversmann,1848; *livonica* Teich,1886; *alpigena* Calberla,1888; *tephrina* Staudinger,1901; *eximia* Culot,1910. 04 05 06 08 16 18 36 46 50 51 58 69
- 124) **Agrotis (s.str.) desertorum Boisduval,1840** (Noctuidae) *desertorum* Boisduval,1840 04 06 18 24 25 30 33 36 42 46 50 51 58 60 62 65 69 70 71
- 125) **Agrotis (s.str.) ipsilon (Hufnagel,1766)** (Noctuidae) *ipsilon* Hufnagel,1766; *suffusa* [Denis & Schiffermüller],1775; *idonea* Cramer,[1780]; *spinula* Esper,[1786]; *spinifera* Villers,1789. 01 03 05 06 07 08 11 14 16 18 20 25 27 29 32 33 35 36 37 42 46 47 50 51 58 62 63 65 69 71
- 126) **Anaplectoides prasina (Goeze,1781)** (Noctuidae) *#prasina* [Denis & Schiffermüller],1775; *#hebrida* [Denis & Schiffermüller],1775; *prasina* Goeze,1781; *egregia* Esper,[1787]; *jaspidea* Borkhausen,1792 *nec* De Vill.,1789; *mixta* Haworth,1809 *nec* Fabr.,1787; *herbacea* Guenée,1852; *albimacula* Hormuzaki,1894 05 08 14 28 36 50 53 61 69
- 127) **Antitype jonis (Lederer,1865)** (Noctuidae) *jonis* Lederer,1865; *amasina* Staudinger,1901. 04 05 08 25 30 33 36 38 44 45 46 50 58 62 65 69 70
- 128) **Apamea crenata (Hufnagel,1766)** (Noctuidae) *crenata* Hufnagel,1766; *rurea* Fabricius,1775; *alopocurus* Esper,[1788]; *combusta* Hübner,[1808]; *hirticornus* Haworth,1812. 04 14 18 36 43 53 65 69 75
- 129) **Apamea euxinia Hacker,1985** (Noctuidae) *euxinia* Hacker,1985 08 28 61 69
- 130) **Apamea remissa (Hübner,[1809])** (Noctuidae) *remissa* Hübner,[1809] 04 06 24 25 36 58 60 65 69 75
- 131) **Autographa aemula ([Denis & Schiffermüller],1775)** (Noctuidae) *aemula* [Denis & Schiffermüller],1775 04 06 12 23 25 42 58 69 75
- 132) **Autophila (s.str.) hirsuta (Staudinger,1870)** (Noctuidae) *hirsuta* Staudinger,1870 04 30 58 69
- 133) **Caradrina (Paradrina) poecila (Boursin,1939)** (Noctuidae) *poecila* Boursin,1939 01 04 08 12 24 25 30 32 38 49 50 58 60 65 69 73
- 134) **Chersotis fimbriola (Esper,[1798])** (Noctuidae) *fimbriola* Esper,[1798] 01 03 04 05 06 08 12 18 24 25 29 30 36 38 42 44 46 50 51 58 60 65 66 69 70
- 135) **Chersotis glebosa (Staudinger,1900)** (Noctuidae) *glebosa* Staudinger,1900 04 12 25 25 30 38 46 58 60 65 69
- 136) **Chersotis gratissima (Corti,1932)** (Noctuidae) *gratissima* Corti,1932 01 04 06 12 23 25 30 36 42 44 46 51 60 65 69 70 75
- 137) **Chersotis juvenis (Staudinger,1901)** (Noctuidae) *caelebs* Staudinger,1900 *nec* Stgr.,1896; *juvenis* Staudinger,1901; *clarivenosa* Draudt,1936. 02 04 06 13 24 25 30 36 38 42 46 50 51 58 60 65 66 69
- 138) **Chersotis laeta (Rebel,1904)** (Noctuidae) *laeta* Rebel,1904 01 03 04 05 08 14 18 24 25 28 29 30 32 33 36 42 44 46 49 50 51 58 60 65 66 69 70
- 139) **Chersotis larixia (Guenée,1852)** (Noctuidae) *larixia* Guenée,1852. 04 12 25 30 38 50 51 58 65 69
- 140) **Chersotis semna (Püngeler,1906)** (Noctuidae) *semna* Püngeler,1906 04 06 08 18 25 33 42 46 50 51 58 60 62 66 69
- 141) **Chloantha hypericii (Fabricius,1787)** (Noctuidae) *#hypericii* [Denis & Schiffermüller],1775; *hypericii* Fabricius,1787 01 04 05 06 07 08 12 15 16 17 18 24 25 28 32 33 35 36 42 46 50 51 56 58 60 61 62 65 69
- 142) **Cryphia (Bryoleuca) rectilinea (W.Warren,1909)** (Noctuidae) *rectilinea* W.Warren,1909; *mediochracea* Bytinski-Salz,1936; *insulicola* Reisser,1962. 01 05 08 13 23 24 36 42 46 69
- 143) **Cucullia (s.str.) gnaphalii (Hübner,[1813])** (Noctuidae) *gnaphalii* Hübner,[1813]; *occidentalis* Boursin,1945. 25 36 69 75
- 144) **Cucullia (s.str.) lucifuga (Hübner,[1803])** (Noctuidae) *lucifuga* Hübner,[1803]. 25 36 42 69 75
- 145) **Cyrebria anachoreta (Herrich-Schäffer,[1851])** (Noctuidae) *anachoreta* Herrich-Schäffer,[1851]; *niesiolowskii* Koçak,1987 05 08 25 36 51 53 65 69
- 146) **Cyrebria luperinoides Guenée,1852** (Noctuidae) *luperinoides* Guenée,1852 08 53 61 69
- 147) **Diarsia brunnea ([Denis & Schiffermüller],1775)** (Noctuidae) *#brunnea* [Denis & Schiffermüller],1775 06 69
- 148) **Diarsia mendica (Fabricius,1775)** (Noctuidae) *mendica* Fabricius,1775; *festiva* [Denis & Schiffermüller],1775; *primulae* Esper,[1788]; *subrufa* Haworth,1809; *conflua* Treitschke,1827; *dannehli* Corti & Draudt,1933. 04 08 14 16 24 36 37 43 58 60 61 62 69 75
- 149) **Dichagyris (Yigoga) forcipula ([Denis & Schiffermüller],1775)** (Noctuidae) *forcipula* [Denis & Schiffermüller],1775; *denticulosa* Esper,[1794]; *bornicensis* Fuchs,1884; *helladica* Rebel,1905; *samnitica* Dannehl,1933; *romanoi* Berio,1980. 01 03 05 06 07 08 11 12 18 23 24 25 29 30 32 33 36 42 43 46 49 50 51 58 60 65 66 69
- 150) **Dichagyris (Yigoga) gracilis (F.Wagner,1929)** (Noctuidae) *gracilis* F.Wagner,1929 01 03 04 05 06 07 08 12 18 24 25 29 30 36 38 42 50 51 58 60 63 65 69
- 151) **Dichagyris (Yigoga) truculenta (Lederer,1853)** (Noctuidae) *truculenta* Lederer,1853 04 25 38 46 50 51 58 62 65 69
- 152) **Dichagyris (s.str.) amoena (Staudinger,1892)** (Noctuidae) *amoena* Staudinger,1892; *flavida* Corti & Draudt,1933. 04 05 08 18 23 25 27 42 46 50 58 62 65 69
- 153) **Dichagyris (s.str.) renigera (Hübner,[1808])** (Noctuidae) *renigera* Hübner,[1808]; *dumosa* Donzel,1837; *caucasica* Staudinger,1877; *funebri* Staudinger,1892; *nigrescens* Kitt,1925 *nec* Höfner,1888; *funestissima* Bubacek,1926; *argentina* Caradja,1930. 04 05 06 08 18 25 30 36 42 50 51 58 62 65 69
- 154) **Dichagyris (s.str.) squalorum (Eversmann,1856)** (Noctuidae) *squalorum* Eversmann,1856 01 02 04 12 23 24 25 30 36 44 50 51 58 65 69
- 155) **Dichagyris (s.str.) terminicincta (Corti & Draudt,1933)** (Noctuidae) *terminicincta* Corti & Draudt,1933; *maraschi* Corti & Draudt,1933. 02 04 12 13 25 30 36 44 46 51 58 65 69
- 156) **Dichonia convergens ([Denis & Schiffermüller],1775)** (Noctuidae) *#convergens* [Denis & Schiffermüller],1775; *spicula* Esper,[1791] 06 08 13 24 69
- 157) **Drasteria cailino (Lefèbvre,1827)** (Noctuidae) *cailino* Lefèbvre,1827 01 03 04 05 06 08 14 18 24 25 29 30 33 44 45 46 50 51 58 60 62 65 66 69
- 158) **Earias clorana (Linnaeus,1761)** (Noctuidae) *clorana* Linnaeus,1761; *viride* Retzius,1783 01 05 06 10 12 14 17 18 24 29 42 50 58 62 65 66 69
- 159) **Eublemma (candidana-gr.) wagneri (Herrich-Schäffer,1851)** (Noctuidae) *wagneri* Herrich-Schäffer,1851 01 04 08 13 23 24 25 29 30 36 40 42 44 46 50 58 60 66 69 75
- 160) **Eublemma (rosina-gr.) amoena (Hübner,[1803])** (Noctuidae) *respersa* Hübner,1790; *amoena* Hübner,[1803]; *bithynica* Bethune-Baker,1888. 01 04 05 14 16 18 25 42 45 50 51 58 65 69
- 161) **Euchalcia (s.str.) armeniae Dufay,1966** (Noctuidae) *armeniae* Dufay,1966; *#armeninae* Hacker,1986. 25 36 61 65 69 75
- 162) **Euchalcia (s.str.) viridis (Staudinger,1901)** (Noctuidae) *viridis* Staudinger,1901 01 04 06 12 13 24 25 30 36 42 49 58 65 69 70 75

- 163) *Eulocastra diaphora* (Staudinger,1879) (Noctuidae) *diaphora* Staudinger,1879; *triangularis* Warren,1888; *atribasalis* Hampson,1896; *laticincta* Staudinger,1898. 05 06 08 09 18 24 25 30 33 36 42 47 50 51 58 65 69
- 164) *Euxoa* (Pleonectopoda) *inclusa* Corti,1931 (Noctuidae) *inclusa* Corti,1931 04 12 24 25 30 38 51 60 65 69
- 165) *Euxoa* (s.str.) *sulcifera* (Christoph,1893) (Noctuidae) *sulcifera* Christoph,1893 04 08 12 25 30 42 62 65 69 76
- 166) *Gortyna cervago* Eversmann,1844 (Noctuidae) *cervago* Eversmann,1844; *#argillago* Draudt,1936. 04 06 25 36 44 58 62 65 69
- 167) *Hadena* (s.str.(Albimaculia)) *albimacula* (Borkhausen,1792) (Noctuidae) *albimacula* Borkhausen,1792; *concinna* Hübner,[1803]; *conserta* Hübner,[1820]. 05 06 08 18 24 25 28 30 33 42 50 51 58 65 66 69 75
- 168) *Hadena* (s.str.(Anatolidena)) *pfeifferi* (Draudt,1934) (Noctuidae) *pfeifferi* Draudt,1934 25 30 65 69
- 169) *Hadena* (s.str.(Caeshadena)) *caesia* ([Denis & Schiffermüller],1775) (Noctuidae) *caesia* [Denis & Schiffermüller],1775; *dichroma* Esp.,[1790]. 05 08 69 75
- 170) *Hadena* (s.str.(Clarhadena)) *clara* (Staudinger,1901) (Noctuidae) *clara* Staudinger,1901; *hyrcana* Draudt,1933; *transiens* Draudt,1938. 04 07 08 12 24 25 30 42 50 51 58 65 69
- 171) *Hadena* (s.str.(Hadenobilis)) *albertii* Hacker,1996 (Noctuidae) *albertii* Hacker,1996 04 08 24 25 29 36 58 69 75
- 172) *Hadena* (s.str.(Hadenobilis)) *melanochroa* (Staudinger,1892) (Noctuidae) *melanochroa* Staudinger,1892 01 04 05 06 08 18 24 25 28 30 36 38 42 46 50 51 58 60 65 69 75
- 173) *Hadena* (s.str.(Hadenobilis)) *vulcanica* (Turati,1907) (Noctuidae) *vulcanica* Turati,1907 01 03 04 06 14 18 24 25 29 30 31 36 42 46 50 51 58 60 65 69 70
- 174) *Hadena* (s.str.(Luteocincta)) *persimilis* Hacker,1996 (Noctuidae) *persimilis* Hacker,1996 06 12 24 25 30 37 42 44 46 50 51 58 62 65 69
- 175) *Hadena* (s.str.(Montanohadena)) *fibigeri* Hacker,1996 (Noctuidae) *fibigeri* Hacker,1996 04 08 13 24 25 30 38 50 51 58 65 69
- 176) *Hadena* (s.str.(Montanohadena)) *purpurea* Hacker,1996 (Noctuidae) *purpurea* Hacker,1996 04 25 36 38 46 51 58 65 69
- 177) *Hadena* (s.str.(Zeteolyga)) *pseudodealbata* Hacker,1988 (Noctuidae) *pseudodealbata* Hacker,1988 04 08 25 28 36 61 69 75
- 178) *Hadula* (Caloestra (Dianthus)) *dianthi* (Tauscher,1809) (Noctuidae) *dianthi* Tauscher,1809; *dentigera* Eversmann,1837; *actinobola* Eversmann,1837; *furculoides* Wagner,1930. 01 04 05 06 18 25 42 49 50 51 58 66 69
- 179) *Hadula* (Caloestra (Hadupugnax)) *latemarginata* (Wiltshire,1976) (Noctuidae) *latemarginata* Wiltshire,1976; *baksana* Schintlmeister & Poltawski,1986. 04 23 25 28 36 58 61 65 69
- 180) *Heterophysa dumetorum* (Geyer,1834) (Noctuidae) *dumetorum* Geyer,1834 01 04 06 08 24 25 30 36 42 46 51 58 60 62 65 66 69
- 181) *Hoplodrina ambigua* ([Denis & Schiffermüller],1775) (Noctuidae) *ambigua* [Denis & Schiffermüller],1775; *plantaginis* Hübner,[1813]; *uniformis* Swinhoe,1885 01 05 06 08 09 10 17 18 20 23 24 25 27 31 32 33 34 35 36 37 38 39 42 45 46 48 50 51 56 58 64 65 69 80
- 182) *Hypena munitalis* Mann,1861 (Noctuidae) *munitalis* Mann,1861. 01 05 06 07 08 12 24 25 32 33 42 49 50 51 56 58 65 69
- 183) *Hyppa rectilinea* (Esper,[1788]) (Noctuidae) *rectilinea* Esper,[1788] 69
- 184) *Lygephila ludicra* (Hübner,1790) (Noctuidae) *ludicra* Hübner,1790 04 05 12 13 25 65 69
- 185) *Lygephila subpicata* Wiltshire,1971 (Noctuidae) *subpicata* Wiltshire,1971 04 12 24 25 30 36 38 58 69
- 186) *Mesoligia literosa* (Haworth,[1809]) (Noctuidae) *literosa* Haworth,[1809]; *erraticula* Hübner,[1813]; *faroulti* Rothschild,1914; *powelli* Oberthür,1918 03 06 07 08 24 25 36 38 42 50 51 58 62 65 66 69 75
- 187) *Mythimna (Aletia) l-album* (Linnaeus,1767) (Noctuidae) *l-album* Linnaeus,1767; *penicillata* Moore,1881 05 06 07 08 10 12 16 17 18 25 30 32 33 34 38 39 42 45 46 50 51 56 58 63 65 69 80
- 188) *Netrocerocora quadrangula* (Zetterstedt,[1839]) (Noctuidae) *quadrangula* Eversmann,1844; *coraxa* Püngeler,1898; *oblongula* Staudinger,1901; *quadriplaga* Bartel,1902 69
- 189) *Nycteola asiatica* (Krulikovsky,1904) (Noctuidae) *asiatica* Krulikovsky,1904; *populana* Patočka,1953; *hungarica* Kovacs,1954. 01 05 06 07 08 11 18 19 23 24 25 42 44 50 51 56 58 63 65 66 69 75
- 190) *Opigena polygona* (Fabricius,1787) (Noctuidae) *#polygona* [Denis & Schiffermüller],1775; *polygona* Fabricius,1787; *nigrofulva* Esper,[1788]; *pyramis* Borkhausen,1792. 03 04 12 13 17 18 24 25 30 36 39 42 60 69
- 191) *Periphanes victorina* (Sodoffsky,1849) (Noctuidae) *victorina* Sodoffsky,1849 05 06 08 14 15 16 18 23 24 25 30 32 33 46 50 51 55 58 65 69 70
- 192) *Plusidia cheiranthi* (Tauscher,1809) (Noctuidae) *cheiranthi* Tauscher,1809; *eygenia* Eversmann,1841; *abrostoloides* Butler,1879; *separanda* Warren,1913. 12 13 25 30 65 69
- 193) *Protexarnis opioleuca* (Staudinger,1881) (Noctuidae) *opioleuca* Staudinger,1881; *inermis* Corti & Draudt,1933. 04 12 25 36 58 69
- 194) *Pyrrhia umbra* (Hufnagel,1766) (Noctuidae) *umbra* Hufnagel,1766; *marginata* Fabricius,1775; *rutilago* [Denis & Schiffermüller],1775; *conspicua* Borkhausen,1792; *umbago* Esper,[1796]; *marginago* Haworth,1809; *aconiti* Hölztermann,1902. 05 06 13 14 24 25 30 33 36 52 61 69
- 195) *Sideridis (Luteohadena) literata* (Fischer v. Waldheim,1840) (Noctuidae) *literata* Fischer v. Waldheim,1840; *suffusa* De Freina,1983. 06 69
- 196) *Spaelotis demavendi* (F.Wagner,1937) (Noctuidae) *demavendi* F.Wagner,1937 04 25 36 38 68 69
- 197) *Spodoptera exiguum* (Hübner,[1808]) (Noctuidae) *exigua* Hübner,[1808]; *fulgens* Geyer,[1832]; *pygmaea* Rambur,1834; *junceti* Zeller,1847; *caradrinoides* Walker,1856; *flavimaculata* Harvey,1876; *venosa* Butler,1880; *sebghana* Austaut,1880; *antipodea* Warren,1914; *protector* De Laever,1985. 01 05 07 08 14 16 17 18 25 27 29 30 31 32 33 36 38 42 43 45 46 50 51 52 56 58 63 64 65 69
- 198) *Standfussiana nictymera* (Boisduval,[1837]) (Noctuidae) *carriei* Boursin,1948. 04 05 25 31 33 36 42 46 50 51 58 60 65 66 69
- 199) *Syngrapha interrogationis* (Linnaeus,1758) (Noctuidae) *interrogationis* Linnaeus,1758 08 69
- 200) *Tyta luctuosa* ([Denis & Schiffermüller],1775) (Noctuidae) *luctuosa* [Denis & Schiffermüller],1775; *italica* Fabricius,1781; *atra* Goeze,1781 nec Linn.,1767; *astroites* Fourcroy,1785; *maculosa* Villers,1789 01 04 05 06 07 08 11 14 16 17 18 22 23 25 30 32 33 34 35 36 38 42 44 50 51 58 61 62 65 66 67 69 70 71
- 201) *Xestia* (s.str.) *baja* ([Denis & Schiffermüller],1775) (Noctuidae) *baja* [Denis & Schiffermüller],1775 08 14 34 36 37 53 69 75
- 202) *Zekelita (Ravalita) ravalis* (Herrich-Schäffer,[1852]) (Noctuidae) *ravalis* Herrich-Schäffer,[1852]; *revolutalis* Zeller,1852; *eremialis* Swinhoe,1889 nec Walk.,1859; *centralis* Staudinger,1892; *syriacalis* Staudinger,1892; *extorris* Warren,1913; *#pallida* Schawerda,1929; *#transcaspica* Brandt,1941. 01 05 06 07 08 18 24 25 33 42 46 50 58 62 69 70
- 203) *Iphiclidides podalirius* (Linnaeus,1758) (Papilionidae) *podalirius* Linnaeus,1758; *sinon* Poda,1761; *flammeus* Fourcroy,1785; *inalpinus* Verity,1911; *valesiaca* Verity,1911; *zanclaeides* Verity,1911; *pseudopersica* Rocci,1926. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 48 49 50 51 52 54 56 58 59 60 62 64 65 66 67 68 69 70 71 73 76 77 78 81
- 204) *Papilio* (s.str. (Alexanoria)) *alexanor* Esper,[1800] (Papilionidae) *polidamas* De Prunner,1787 nec Linnaeus,1758; *alexanor* Esper,[1800]; *polychaon* Loche,1801; *destelensis* Nel & Chauliac,1983. 01 02 03 05 06 07 08 10 16 17 25 30 31 33 35 36 42 43 44 45 46 47 48 52 58 60 62 65 69 70 71 73 74 76
- 205) *Papilio* (s.str.) *machaon* Linnaeus,1758 (Papilionidae) *machaon* Linnaeus,1758; *reginae* Retzius,1783; *umbellatarum* Fabricius,1807; *aurantiaca* Speyer,1858. 01 02 03 05 06 07 08 09 10 11 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 40 42 43 44 45 46 47 48 50 51 56 58 59 60 62 63 65 66 68 69 70 71 73 74 76 77 80
- 206) *Parnassius (Driopa) mnemosyne* (Linnaeus,1758) (Papilionidae) *mnemosyne* Linnaeus,1758 01 03 05 06 07 08 12 13 14 16 18 24 25 26 27 29 30 31 32 33 35 36 37 39 42 46 48 49 51 52 53 58 60 62 65 66 67 69 73 74 76 80
- 207) *Parnassius* (s.str.) *apollo* (Linnaeus,1758) (Papilionidae) *apollo* Linnaeus,1758 01 03 04 05 06 07 13 14 16 18 24 25 27 29 30 32 33 35 36 37 38 42 44 46 51 57 58 60 62 65 67 69 74 76 78
- 208) *Anthocharis damone* Boisduval,1836 (Pieridae) *damone* Boisduval,1836 01 04 05 07 08 10 13 21 23 24 25 27 29 30 31 32 33 34 35 36 42 43 44 46 48 51 65 69 70 73 76



- 209) **Aporia (s.str.) crataegi (Linnaeus,1758)** (Pieridae) *crataegi* Linnaeus,1758; *nigronevrosus* Retzius,1783; *minor* Verity,1907; *basanius* Fruhstorfer,1910; *crataegiaugusta* Verity,1937. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 46 47 48 49 50 51 53 54 55 56 58 60 61 62 63 65 66 69 70 71 72 73 74 76 78 80 81
- 210) **Colias (Eriocolias) crocea (Fourcroy,1785)** (Pieridae) *crocea* Fourcroy,1785; *pyrenaica* Groum-Grshimailo,1893. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 65 66 68 69 70 71 72 73 74 76 77 78 79 80 81
- 211) **Colias (Eriocolias) thisoa Ménétriés,1832** (Pieridae) *thisoa* Ménétriés,1832; *helenae* Herrich-Schäffer,[1844]; *eos* Herrich-Schäffer,[1848]; *#ludmilla* Schulte,1989. 04 08 25 30 36 53 65 69 73 75 76
- 212) **Colias (Neocolias) aurorina Herrich-Schäffer,[1850]** (Pieridae) *aurorina* Herrich-Schäffer,[1850] 01 03 04 05 06 07 08 13 14 19 21 23 24 25 29 30 32 33 36 37 38 42 46 48 49 50 51 53 58 60 61 62 65 66 69 70 75 76 80
- 213) **Colias (Neocolias) chlorocoma Christoph,1888** (Pieridae) *chlorocoma* Christoph,1888 04 13 24 25 29 30 36 38 51 65 69 76
- 214) **Colias (s.str.) sareptensis Staudinger,1881** (Pieridae) *#sareptensis* Staudinger,1871; *sareptensis* Staudinger,1881. 01 03 04 05 06 07 08 09 11 13 14 15 16 18 19 20 24 25 26 29 32 33 34 35 36 37 38 41 42 43 44 46 48 49 50 51 52 53 58 60 61 62 65 66 67 69 70 71 73 74 76 78 80
- 215) **Euchloe (Elphinstonia) penia (Freyer,[1852])** (Pieridae) *penia* Freyer,[1852]; *mesopotamica* Baker,1889. 01 02 03 06 07 15 17 24 25 26 31 32 33 38 40 42 43 44 46 51 58 59 62 65 69 70 71
- 216) **Gonepteryx (s.str.) farinosa (Zeller,1847)** (Pieridae) *farinosa* Zeller,1847 01 02 03 05 06 07 08 10 11 13 14 16 17 19 20 21 24 25 26 27 29 30 31 32 33 34 35 36 38 41 42 43 44 46 47 48 50 51 56 58 60 62 65 66 67 68 69 70 71 73 76 80
- 217) **Gonepteryx (s.str.) rhamni (Linnaeus,1758)** (Pieridae) *rhamni* Linnaeus,1758; *gravesi* Huggins,1956. 01 03 04 05 06 07 08 10 11 13 14 15 16 17 18 19 24 25 26 30 31 32 33 34 35 36 38 39 42 43 44 46 47 48 49 50 51 52 55 60 62 65 66 67 69 71 73 75 76 81
- 218) **Leptidea duponcheli (Staudinger,1871)** (Pieridae) *duponcheli* Staudinger,1871; *#duponcheli* Nazari,2003 01 03 04 05 06 07 08 10 11 13 14 15 16 17 18 19 20 21 22 23 24 25 26 29 30 31 32 33 34 35 36 37 38 40 41 42 43 44 45 46 48 49 50 51 53 58 59 60 62 64 65 66 67 69 70 71 73 74 76 78
- 219) **Leptidea sinapis (Linnaeus,1758)** (Pieridae) *sinapis* Linnaeus,1758; *candidus* Retzius,1783; *erysimi* Borkhausen,1788; *lathyri* Hübner,[1819]; *loti* Rennie,1832; *umbratica* Trimoulet,1858; *sartha* Rühl,1893; *stabiolum* Stauder,1914; *nigrescens* Verity,1919; *patunae* Stauder,1922; *lathyricana* Verity,1952. 01 03 04 05 06 07 08 09 10 11 13 14 15 16 17 18 19 20 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 41 42 45 46 48 49 50 52 53 54 55 58 60 61 62 65 66 67 69 70 74 76 77 78 70 75 76 81
- 220) **Pieris (Artogeia) bowdeni Eitschberger,[1984]** (Pieridae) *bowdeni* Eitschberger,[1984] 08 14 24 25 29 53 65 69 75 76
- 221) **Pieris (Artogeia) ergane (Geyer,[1828])** (Pieridae) *ergane* Geyer,[1828]; *narcaeae* Freyer,[1828]. 01 02 03 04 05 06 07 08 12 13 14 15 16 18 21 23 24 25 26 28 29 30 31 32 33 36 38 42 43 44 46 47 49 50 51 52 56 58 60 62 63 65 66 69 71 73 74 76
- 222) **Pieris (Artogeia) mannii (Mayer,1851)** (Pieridae) *mannii* Mayer,1851; *manni* Verity,1908; *alpigena* Verity,1911; *roberti* Eitschberger & Steiniger,1973. 01 02 03 06 07 08 10 11 14 17 18 21 23 24 25 26 28 29 30 31 32 33 34 35 36 37 38 39 42 43 45 46 47 48 49 50 51 53 61 62 65 67 69 74 76 78 80
- 223) **Pieris (Artogeia) rapae (Linnaeus,1758)** (Pieridae) *rapae* Linnaeus,1758; *nelo* Bergsträßer,1780; *metra* Stephens,1827; *alpica* Rossi,1929. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 58 59 60 61 62 63 64 65 66 68 69 70 71 73 74 76 77 78 79 80
- 224) **Pontia callidice (Hübner,[1800])** (Pieridae) *callidice* Hübner,[1800]; *callidice* Esper,[1803]. 01 03 04 05 06 07 08 13 16 24 25 29 30 32 38 42 44 46 48 51 53 58 60 62 65 69 73 76
- 225) **Pontia chloridice (Hübner,[1813])** (Pieridae) *russiae* Esper,[1784] *nec russiae* Esper,[1783]; *chloridice* Hübner,[1813]; *#aestuosa* Staudinger,1901; *albidge* Staudinger,1901 *nec Oberthür*,1881. 03 05 06 07 08 10 12 13 16 18 21 23 24 25 29 30 33 34 35 36 42 44 45 46 48 50 56 60 62 63 65 69 71 73 76
- 226) **Pontia edusa (Fabricius,1777)** (Pieridae) *edusa* Fabricius,1777; *bellidice* Ochsenheimer,1808; *persica* Bienert,1869; *#nitida* Verity,[1908]. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 38 39 40 41 42 43 44 46 47 48 49 50 51 52 53 54 55 56 58 59 60 61 62 63 65 66 67 68 69 70 71 73 74 76 77 79 80 81
- 227) **Merrifieldia tridactyla (Linnaeus,1758)** (Pterophoridae) *tridactyla* Linnaeus,1758; *tetradactyla* Linnaeus,1758; *niveidactylus* Stephens,1829; *fuscolimbatus* Duponchel,1844; *exilidactyla* Buszko,1975. 38 42 58 69
- 228) **Catoptria ciliciella (Rebel,1893)** (Pylalidae) *ciliciellus* Rebel,1893; *#siliciellus* Ganev,1996. 08 09 33 53 69
- 229) **Chrysocrambus craterellus (Scopoli,1763)** (Pylalidae) *craterellus* Scopoli,1763; *rorella* Linnaeus,1767; *klimeschi* Toll,1938; *alpinus* Bleszynski,1958; *abruzzellus* Bleszynski,1958. 01 05 06 14 16 22 36 37 38 39 40 46 48 50 58 69 71 76
- 230) **Crambus perlellus (Scopoli,1763)** (Pylalidae) *perlellus* Scopoli,1763; *dealbellus* Thunberg,1788; *warringtonellus* Stainton,1849. 14 16 24 25 42 51 58 65 69 76
- 231) **Mecyna lutulentalis (Lederer,1858)** (Pylalidae) *lutulentalis* Lederer,1858 01 06 24 29 42 65 69 71
- 232) **Pyrausta (Haematia) sanguinalis (Linnaeus,1767)** (Pylalidae) *sanguinalis* Linnaeus,1767; *crentalis* Scriba,1770; *haematalis* Hübner,[1819] 05 06 07 16 17 30 31 33 34 39 54 69 71
- 233) **Saturnia (Heraea) cephalariae Romanoff,1885** (Saturniidae) *cephalariae* Romanoff,1885 25 29 30 36 65 69 76
- 234) **Arethusana arethusa ([Denis & Schiffermüller],1775)** (Satyridae) *arethusa* [Denis & Schiffermüller],1775; *erythia* Hübner,1805; *pontica* Heyne,[1895]; *sultana* Wagner,1929; *hakkarica* Koçak,1975 (*sensu* Hesselbarth et al.,1995: 917). 03 04 05 06 07 08 10 11 13 14 16 19 20 22 24 25 26 29 30 32 33 35 36 38 39 42 50 51 53 58 60 65 66 69 70 71 76
- 235) **Chazara (s.str.) bischoffi (Herrich-Schäffer,[1846])** (Satyridae) *bischoffi* Herrich-Schäffer,[1846] 01 04 06 07 08 13 21 23 24 25 29 30 36 38 40 42 44 46 49 50 51 53 58 60 62 65 66 68 69 76
- 236) **Chazara (s.str.) briseis (Linnaeus,1764)** (Satyridae) *briseis* Linnaeus,1764; *daedale* Bergsträßer,1780; *bataia* Fruhstorfer,1909; *interjecta* Verity,1916; *variabilis* Varin,1958; *pictonica* Varin,1958. 01 02 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 19 20 21 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 40 42 43 44 46 47 48 49 50 51 53 55 56 58 60 62 63 64 65 66 68 69 70 71 73 74 76 80
- 237) **Coenonympha glycerion (Borkhausen,1788)** (Satyridae) *iphis* [Denis & Schiffermüller],1775 *nec Dru.*,1773; *amyntas* auctorum; *glycerion* Borkhausen,1788; *hero* Fabricius,1793 *nec* Linnaeus,1761; *manto* Schrank,1801; *mandane* Kirby,1862; *tiphonides* Staudinger,1901. 04 08 24 25 29 30 36 65 69 76
- 238) **Coenonympha leander (Fabricius,1787)** (Satyridae) *#leander* Esper,[1784]; *leander* Fabricius,1787 03 04 05 06 07 08 16 24 25 29 30 36 42 51 60 65 69 76
- 239) **Coenonympha pamphilus (Linnaeus,1758)** (Satyridae) *pamphilus* Linnaeus,1758; *menalcas* Poda,1761; *nephele* Hufnagel,1766; *marginata* Heyne,1894; *orantia* Fruhstorfer,1908; *scota* Verity,1911; *infrarasa* Verity,1926; *juldusica* Verity,1926; *asiaemontium* Verity,1926; *euxina* Verity,1926; *posteuxina* Verity,1926; *londonii* Verity,1926; *neolyllus* De Latini,1950 01 03 04 05 06 07 08 09 10 11 12 13 14 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 65 66 67 68 69 70 71 72 73 74 75 76 77 81
- 240) **Erebia graucasica Jachontov,1909** (Satyridae) *graucasica* Jachontov,1909; *caucasica* Korshunov, Antonova & Kotshetova,1984. 08 25 29 53 60 69 75
- 241) **Erebia medusa ([Denis & Schiffermüller],1775)** (Satyridae) *medusa* [Denis & Schiffermüller],1775 06 08 14 18 25 29 34 36 37 60 61 67 69 74 75 76
- 242) **Esperarge (s.str.) clymene (Fabricius,1787)** (Satyridae) *#climene* Esper,[1783]; *clymene* Fabricius,1787; *boroeas* Latreille,1803; *synclimene* Hübner,[1819]. 04 05 06 07 08 12 13 16 19 23 24 25 29 30 36 38 40 42 44 46 49 56 58 60 62 65 66 69 71 73 75 76

- 243) **Hyponephele (s.str.) lupina (Costa,[1836])** (Satyridae) *lupina Costa,[1836]* 01 02 03 04 05 06 07 08 09 10 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 40 42 43 44 45 46 47 48 49 50 51 52 55 56 58 60 62 63 64 65 66 67 69 70 71 72 73 76 80
- 244) **Hyponephele (s.str.) lycaonoides Weiss,1978** (Satyridae) *lycaonoides Weiss,1978* 07 13 65 69 73
- 245) **Hyponephele (s.str.) zuvandica Samodurov & Koroljev,1996** (Satyridae) *zuvandica Samodurov & Koroljev,1996; #zuvandi Korb,2000* 04 05 06 08 12 13 18 24 25 29 36 37 40 53 58 60 62 65 66 67 69 75 76
- 246) **Maniola (s.str.) jurtina (Linnaeus,1758)** (Satyridae) *jurtina Linnaeus,1758; janira Linnaeus,1758; lemur Schrank,1801.* 01 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 65 66 67 68 69 70 71 72 74 75 76 77 80 81
- 247) **Melanargia (Parce) russiae (Esper,[1784])** (Satyridae) *russiae Esper,[1784]; suwarovius Herbst,1796; clotho Hübner,[1800].* 04 13 25 30 36 65 69 75 76
- 248) **Melanargia (Turcargia) larissa (Geyer,[1828])** (Satyridae) *larissa Geyer,[1828].* 03 04 05 06 08 13 14 18 19 22 24 25 28 29 36 37 38 40 42 43 44 51 58 60 64 66 68 69 71 74 75 76
- 249) **Pseudochazara (Achazara) anthelea (Hübner,[1824])** (Satyridae) *anthelea Hübner,[1824]; atavirensis Coutsis,1973.* 01 02 03 05 06 07 08 10 11 12 13 14 15 16 18 19 20 21 23 24 25 26 29 31 32 33 35 36 37 38 40 42 43 44 45 46 48 49 50 51 55 56 58 60 62 63 64 65 66 68 69 70 71 72
- 250) **Pseudochazara (s.str.) beroe (Freyer,[1843])** (Satyridae) *beroe Freyer,[1843]* 01 03 04 06 07 08 13 16 24 25 29 30 32 33 34 36 38 42 44 46 51 53 58 60 65 69 70 76
- 251) **Pseudochazara (s.str.) geyeri (Herrich-Schäffer,[1846])** (Satyridae) *geyeri Herrich-Schäffer,[1846]; aristonius Fruhstorfer,[1911]; selim Gross,1978, karsicola Gross,1978* 04 05 06 07 08 13 24 25 29 30 36 38 42 50 51 58 60 62 65 66 69 73 75 76
- 252) **Pseudochazara (s.str.) mamurra (Herrich-Schäffer,[1846])** (Satyridae) *mamurra Herrich-Schäffer,[1846]; sintenisi Staudinger,1895* 01 02 03 04 05 07 08 13 15 24 25 28 29 30 32 33 36 38 42 44 46 51 58 60 62 65 66 69 73 76
- 253) **Pseudochazara (s.str.) mnisechii (Herrich-Schäffer,[1851])** (Satyridae) *mnisechii Herrich-Schäffer,[1851]* 01 03 05 06 07 10 11 14 15 16 19 20 23 24 25 26 28 29 32 33 36 37 38 40 42 43 44 46 48 50 51 58 60 62 66 68 69 70 71 74
- 254) **Satyrus (Asatyrus (s.str.)) amasinus Staudinger,1861** (Satyridae) *bryce Herrich-Schäffer,[1852] nec Hübner,[1800]; amasinus Staudinger,1861* 02 03 05 06 08 14 23 24 25 29 35 36 38 42 44 46 50 58 60 62 69 71 76
- 255) **Satyrus (s.str.(s.str.)) parthicus Lederer,1869** (Satyridae) *parthicus Lederer,1869; pimpla sensu Wiltshire,1957* 13 24 25 29 30 65 69 76
- 256) **Pelochrista arabescana (Eversmann,1844)** (Tortricidae) *arabescana Eversmann,1844* 25 69
- 257) **Jordanita (Roccia) budensis (Speyer & Speyer,1858)** (Zygaenidae) *budensis Speyer & Speyer,1858* 05 06 29 33 36 42 51 58 62 69 70
- 258) **Jordanita (s.str.) chloros (Hübner,[1813])** (Zygaenidae) *chloros Hübner,[1813]; sepium Boisduval,1834.* 05 06 16 23 24 25 30 42 69
- 259) **Zygaena (Mesembrynus) cuvieri Boisduval,1828** (Zygaenidae) *cuvieri Boisduval,1828* 04 13 29 30 36 44 49 65 66 69 73 76
- 260) **Zygaena (Mesembrynus) purpuralis (Brünnich,1763)** (Zygaenidae) *purpuralis Brünnich,1763; pythia Fabricius,1777; scabiosae Scheven,1777; pilosellae Esper,1780; pluto Ochsenheimer,1808; pasiphae Meigen,[1829]; tatvanica Reiss & Reiss,1973.* 04 05 06 08 13 14 16 23 25 29 30 31 34 36 38 42 44 58 61 62 65 69 71 75 76
- 261) **Zygaena (s.str.) dorycnii Ochsenheimer,1808** (Zygaenidae) *dorycnii Ochsenheimer,1808* 04 06 08 11 13 14 24 25 28 29 33 36 38 42 43 49 53 57 61 62 69 75 76
- 262) **Zygaena (s.str.) filipendulae (Linnaeus,1758)** (Zygaenidae) *filipendulae Linnaeus,1758; aries Retzius,1783* 01 05 06 08 11 13 14 16 18 22 24 25 28 29 30 31 34 36 37 42 43 44 49 50 53 58 60 61 62 65 66 69 70 75 76
- 263) **Zygaena (s.str.) loti ([Denis & Schiffmüller],1775)** (Zygaenidae) *loti [Denis & Schiffmüller],1775; fulvia Fabricius,1777* 04 05 06 08 13 14 18 22 23 25 26 28 29 30 31 36 37 38 42 44 49 53 58 60 62 65 69 71 75 76

**Contents / İçindekiler:** Koçak,A.Ö. & M.Kemal, Synonymical and distributional List of the species of Bayburt Province (North East Turkey) (Lepidoptera). p.6 – Editorial, p. 8.

## MISCELLANEOUS PAPERS

ISSN 1015-8235

**Miscellaneous Papers** is a scientific serial published by the Centre for Entomological Studies Ankara at irregular interval in a year. The serial serves as a refereed publication outlet and accepts original manuscripts on insects, especially **short** (2-16 pages) articles dealing with their taxonomy, nomenclature, checklist, fauna, biodiversity, distribution, biogeography, ecology, insect-plant interactions, bionomy, and behaviour. The CESA is a non-profit organization, no royalties will be paid to authors of contributions. Papers accepted become the copyright of the journal. Ten reprints of each paper are free of charge.



## Centre for Entomological Studies Ankara

( A scientific Consortium)

(co-operation of research workers for pure-scientific, not commercial purpose)

Web Page of the Cesa: <http://www.cesa-tr.org/>

**Scientific Serials:** Priamus & Supplement (ISSN 1015-8243), Miscellaneous Papers (ISSN 1015-8235), Memoirs (ISSN-8227)

**Owner / Sahibi - Editor / Yayıncı:** Prof. Dr. Ahmet Ömer Koçak (c/o Yüzüncü Yıl University, Turkey) - Editor Assistants: Yrd. Doç. Dr. Muhabbet Kemal Koçak (c/o Yüzüncü Yıl University, Turkey), Dr. Selma Seven (Gazi University, Turkey).

**Editorial Board of all Scientific Serials / Bütün Bilimsel Yayınların Yayın Kurulu:** Insecta, taxonomy, nomenclature, ecology, faunistics: Prof. Dr. Ahmet Ömer Koçak (Yüzüncü Yıl Üniversitesi, Turkey), Yrd. Doç. Dr. Muhabbet Kemal Koçak (Yüzüncü Yıl University, Turkey), Dr. Selma Seven (Gazi University, Turkey), General Entomology: Assoc. Prof. Dr. Paitoon Leksawasdi (Chiang Mai University, Faculty of Science, Thailand); Homoptera: Dr. Emine Demir (Turkey). Orthoptera: Dr. Piotr Naskrecki (Connecticut University, U.S.A.), Yrd. Doç. Dr. Mustafa Ünal (Abant İzzet Baysal University, Turkey), Yrd. Doç. Dr. Yusuf Hüseyinoğlu (Mersin University, Turkey), Yrd. Doç. Dr. Yaşar Gülmez (Gazi Osman Paşa University, Tokat). Coleoptera / Chrysomelidae: Assoc. Prof. M.S.Mohammedsaid (Malaysia). - Plant taxonomy, flora and vegetation: Prof. Dr. Mecit Vural (Gazi University, Turkey).

**ALL RIGHTS RESERVED**

Correspondences should be addressed to:

Prof. Dr. Ahmet Ömer Koçak, c/o Yüzüncü Yıl University, Fen-Edebiyat Fakültesi, Biyoloji Bölümü, Kampus, Van / Turkey. e-mail: [cesa\\_tr@yahoo.com.tr](mailto:cesa_tr@yahoo.com.tr)

Yüzüncü Yıl Üniversitesi Matbaasında bastırılmıştır.

All serials are recorded regularly by the Zoological Record, Biosis, Garforth House, 54 Micklegate, York, North Yorkshire. fax (01904) 612793 - [DCS@york.biosis.org](mailto:DCS@york.biosis.org)